ELSEVIER

Applied Numerical Mathematics 40 (2002) 487–508

APPLIED NUMERICAL MATHEMATICS

www.elsevier.com/locate/apnum

Master Index to Volumes 31–40

(For the sake of simplicity and uniformity, all names beginning with articles or prepositions are listed as if written as single words.)

Abia, L.M., J.C. López-Marcos and J. Martínez, The Euler method in the numerical integration of reaction–diffusion problems with blow-up — **38** (3) (2001) 287–313

Abril-Raymundo, M.R. and B. García-Archilla, Approximation properties of a mapped Chebyshev method — **32** (2) (2000) 119–136

Ainsworth, M. and D. Kay, Approximation theory for the *hp*-version finite element method and application to the non-linear Laplacian — **34** (4) (2000) 329–344

Ainsworth, M., see **Sherwin, S.J.** — **33** (1–4) (2000) 357–363

Alonso-Mallo, I., Explicit single step methods with optimal order of convergence for partial differential equations — **31** (2) (1999) 117–131

Alonso-Mallo, I., Rational methods with optimal order of convergence for partial differential equations — **35** (4) (2000) 265–292

Alves Filho, H., F.C. da Silva and R.C. Barros, A coarse-mesh numerical method for one-speed neutron transport eigenvalue problems in two-dimensional Cartesian geometry — **40** (1–2) (2002) 167–177

Araújo, A. and A. Durán, Error propagation in the numerical integration of solitary waves. The regularized long wave equation — **36** (2–3) (2001) 197–217

Arena, D., see **Spitaleri, R.M.** — **39** (2) (2001) 181–189

Arévalo, C., C. Führer and G. Söderlind, Regular and singular β-blocking of difference corrected multistep methods for nonstiff index-2 DAEs — **35** (4) (2000) 293–305

Armentano, M.G. and R.G. Durán, Error estimates for moving least square approximations — **37** (3) (2001) 397–414

Arminjon, P., A. St-Cyr and A. Madrane, New two- and three-dimensional non-oscillatory central finite volume methods on staggered Cartesian grids — **40** (3) (2002) 367–390

Arnold, M. and B. Simeon, Pantograph and catenary dynamics: A benchmark problem and its numerical solution — **34** (4) (2000) 345–362

Aubry, N., see **Rahibe, M.** — **31** (1) (1999) 103–115

0168-9274/2002 Published by Elsevier Science B.V. on behalf of IMACS.
PII: S0168-9274(01)00173-8

Auteri, F. and L. Quartapelle, Spectral influence matrix for vorticity without corner pathology **33** (1–4) (2000) 135–142
Aves, M.A., P.J. Davies and D.J. Higham, The effect of quadrature on the dynamics of a discretized nonlinear integro-differential equation **32** (1) (2000) 1– 20
Avudainayagam, A. and C. Vani, Wavelet–Galerkin method for integro–differential equations **32** (3) (2000) 247–254

Bailey, C., H. Lu and D. Wheeler, Computational modeling techniques for reliability of electronic components on printed circuit boards **40** (1–2) (2002) 101–117
Baltensperger, R., Improving the accuracy of the matrix differentiation method for arbitrary collocation points **33** (1–4) (2000) 143–149
Bar-On, I., Å. Edlund and U. Peskin, Parallel solution of the multidimensional Helmholtz/Schroedinger equation using high order methods **33** (1–4) (2000) 95–104
Bar-Yoseph, P.Z., Time finite element methods for initial value problems **33** (1–4) (2000) 435–445
Barbeiro, S. and J.A. Ferreira, A nonstandard linear finite element method for a planar elasticity problem **37** (3) (2001) 331–340
Barrera-Sánchez, P., G.F. González Flores and F.J. Domínguez-Mota, Some experiences on orthogonal grid generation **40** (1–2) (2002) 179–190
Barros, R.C., see **Alves Filho, H.** **40** (1–2) (2002) 167–177
Barton, P.I., see **Galán, S.** **31** (1) (1999) 17– 47
Beckett, G. and J.A. Mackenzie, Convergence analysis of finite difference approximations on equidistributed grids to a singularly perturbed boundary value problem **35** (2) (2000) 87–109
Beckett, G. and J.A. Mackenzie, Uniformly convergent high order finite element solutions of a singularly perturbed reaction–diffusion equation using mesh equidistribution **39** (1) (2001) 31– 45
Beghdadi, D., Second degree semi-classical forms of class $s = 1$. The symmetric case **34** (1) (2000) 1– 11
Belikov, V.V. and A.Yu. Semenov, Non-Sibsonian interpolation on arbitrary system of points in Euclidean space and adaptive isolines generation **32** (4) (2000) 371–387
Ben-yu, G., Gegenbauer approximation and its applications to differential equations with rough asymptotic behaviors at infinity **38** (4) (2001) 403–425
Bendtsen, C., O.H. Nielsen and L.B. Hansen, Solving large nonlinear generalized eigenvalue problems from Density Functional Theory calculations in parallel **37** (1–2) (2001) 189–199
Bergeron, K., see **Lynov, J.P.** **33** (1–4) (2000) 175–181
Berti, A.C. and A. Sri Ranga, Companion orthogonal polynomials: some applications **39** (2) (2001) 127–149
Bertoluzza, S., C. Canuto and K. Urban, On the adaptive computation of integrals of wavelets **34** (1) (2000) 13– 38
Bialecki, B., see **Li, B.** **33** (1–4) (2000) 299–306
Björck, M., see **Nordström, J.** **38** (3) (2001) 237–255

Black, K., Spectral element approximation of convection–diffusion type problems **33** (1–4) (2000) 373–379
Blanes, S., High order numerical integrators for differential equations using composition and processing of low order methods **37** (3) (2001) 289–306
Blanes, S., F. Casas and J. Ros, High-order Runge–Kutta–Nyström geometric methods with processing **39** (3–4) (2001) 245–259
Blasco, J. and R. Codina, Space and time error estimates for a first order, pressure stabilized finite element method for the incompressible Navier–Stokes equations **38** (4) (2001) 475–497
Boglaev, I., Domain decomposition in boundary layers for singularly perturbed problems **34** (2–3) (2000) 145–166
Botchev, M.A., G.L.G. Sleijpen and H.A. van der Vorst, Stability control for approximate implicit time stepping schemes with minimum residual iterations **31** (3) (1999) 239–253
Bouchon, F. and F. Jauberteau, A multilevel method applied in the nonhomogeneous direction of the channel flow problem **36** (1) (2001) 1– 34
Bourchtein, A., Semi-Lagrangian semi-implicit space splitting regional baroclinic atmospheric model **40** (1–2) (2002) 307–326
Bourchtein, A., L. Bourchtein and J.P. Lukaszczyk, Numerical simulation of incompressible flows through granular porous media **40** (1–2) (2002) 291–306
Bourchtein, L., see **Bourchtein, A.** **40** (1–2) (2002) 291–306
Brandts, J.H., Superconvergence for triangular order $k = 1$ Raviart–Thomas mixed finite elements and for triangular standard quadratic finite element methods **34** (1) (2000) 39– 58
Bratsos, A., see **Tsiantos, V.D.** **39** (2) (2001) 191–204
Bravo, E., see **Rubio, O.** **40** (1–2) (2002) 327–336
Brown, B.M., P.K. Jimack and M.D. Mihajlović, An efficient direct solver for a class of mixed finite element problems **38** (1–2) (2001) 1– 20
Buchholz, P., Structured analysis approaches for large Markov chains **31** (4) (1999) 375–404
Budd, C.J., B. Leimkuhler and M.D. Piggott, Scaling invariance and adaptivity **39** (3–4) (2001) 261–288
Bujanda, B. and J.C. Jorge, Stability results for fractional step discretizations of time dependent coefficient evolutionary problems **38** (1–2) (2001) 69– 86
Burrage, K. and T. Tian, Parallel half-block methods for initial value problems **32** (3) (2000) 255–271
Burrage, K., see **Tian, T.** **38** (1–2) (2001) 167–185
Burrage, K., see **Williams, R.** **40** (3) (2002) 415–432
Butcher, J.C. and T.M.H. Chan, Multi-step zero approximations for stepsize control **34** (2–3) (2000) 167–177
Butcher, J.C. and D.J.L. Chen, A new type of singly-implicit Runge–Kutta method **34** (2–3) (2000) 179–188
Butcher, J.C. and A.D. Singh, The choice of parameters in parallel general linear methods for stiff problems **34** (1) (2000) 59– 84

Cai, X., see **Ladeinde, F.** **36** (4) (2001) 447–474
Calvo, M.P., J. de Frutos and J. Novo, Linearly implicit Runge–Kutta methods for advection–reaction–diffusion equations **37** (4) (2001) 535–549
Calvo, N., J. Durany and C. Vázquez, Numerical computation of ice sheet profiles with free boundary models **35** (2) (2000) 111–128
Cameron, F., A class of low order DIRK methods for a class of DAEs **31** (1) (1999) 1– 16
Cameron, I., see **Williams, R.** **40** (3) (2002) 415–432
Cano, B. and H.R. Lewis, A comparison of symplectic and Hamilton's principle algorithms for autonomous and non-autonomous systems of ordinary differential equations **39** (3–4) (2001) 289–306
Canuto, C., see **Bertoluzza, S.** **34** (1) (2000) 13– 38
Cao, Z.-H., On the convergence of nonstationary iterative methods for symmetric positive (semi)definite systems **37** (3) (2001) 319–330
Capuzzo-Dolcetta, R. and R. Di Lisio, A criterion for the choice of the interpolation kernel in smoothed particle hydrodynamics **34** (4) (2000) 363–371
Carey, G.F., see **Plaza, A.** **32** (2) (2000) 195–218
Carey, G.F., see **Plaza, A.** **32** (4) (2000) 401–418
Carpenter, M.H., see **Kennedy, C.A.** **35** (3) (2000) 177–219
Carrington Jr., T., see **Huang, S.-W.** **37** (3) (2001) 307–317
Casas, F., see **Blanes, S.** **39** (3–4) (2001) 245–259
Castillo, J. and T. McGuinness, Steady state diffusion problems on non-trivial domains: Support operator method integrated with direct optimized grid generation **40** (1–2) (2002) 207–218
Castillo, J., V. Pereyra and S. Steinberg, Preface **40** (1–2) (2002) 1– 1
Castillo, J., see **Torres, C.R.** **40** (1–2) (2002) 235–244
Castillo, J.E., J.M. Hyman, M. Shashkov and S. Steinberg, Fourth- and sixth-order conservative finite difference approximations of the divergence and gradient **37** (1–2) (2001) 171–187
Chacón Rebollo, T., see **Chacón Vera, E.** **36** (4) (2001) 359–387
Chacón Vera, E. and T. Chacón Rebollo, On cubic spline approximations for the vortex patch problem **36** (4) (2001) 359–387
Chan, R.P.K. and A. Murua, Extrapolation of symplectic methods for Hamiltonian problems **34** (2–3) (2000) 189–205
Chan, T.M.H., see **Butcher, J.C.** **34** (2–3) (2000) 167–177
Chávez-González, A., A. Cortés-Medina and J.G. Tinoco-Ruiz, Testing the quality of grids generated using the direct approach **40** (1–2) (2002) 191–206
Chávez-González, A., see **Cortés-Medina, A.** **40** (1–2) (2002) 219–233
Chen, B. and Y. Li, Simulation of thick biofilm growth at the microscale **40** (1–2) (2002) 261–271
Chen, B. and J.H. Schenker, Molecular dynamic simulations of gases using a split-Hamiltonian method **38** (1–2) (2001) 21– 48
Chen, B., see **Li, Y.** **40** (1–2) (2002) 245–259
Chen, D.J.L., see **Butcher, J.C.** **34** (2–3) (2000) 179–188
Chen, G., see **Xiao, A.** **34** (4) (2000) 405–420

Chen, J. and X. Xu, The mortar element method for nonselfadjoint parabolic problem **37** (3) (2001) 341–358
Chen, J., see **Huang, J.** **37** (4) (2001) 519–533
Chen, K. and P.J. Harris, Efficient preconditioners for iterative solution of the boundary element equations for the three-dimensional Helmholtz equation **36** (4) (2001) 475–489
Chen, T.C., see **Yang, J.C.** **32** (4) (2000) 435–445
Chesneaux, J.-M., see **Montagnac, M.** **32** (1) (2000) 103–117
Chiavassa, G. and J. Liandrat, A fully adaptive wavelet algorithm for parabolic partial differential equations **36** (2–3) (2001) 333–358
Chisholm, T.T., see **Zingg, D.W.** **31** (2) (1999) 227–238
Chiwiacowsky, L.D., see **Claeyssen, J.R.** **40** (1–2) (2002) 119–135
Choi, H., M. Hinze and K. Kunisch, Instantaneous control of backward-facing step flows **31** (2) (1999) 133–158
Choi, J.-Y., see **Kim, S.-L.** **39** (1) (2001) 87–104
Christiansen, S., Derivation and investigation of fifth order quadrature formulas for biharmonic boundary integral operators **37** (1–2) (2001) 145–159
Chung, K.C., G.A. Evans and J.R. Webster, A method to generate generalized quadrature rules for oscillatory integrals **34** (1) (2000) 85– 93
Claeyssen, J.R., L.D. Chiwiacowsky and G.C. Suazo, The impulse response in the symbolic computing of modes for beams and plates **40** (1–2) (2002) 119–135
Claeyssen, J.R., see **Rubio, O.** **40** (1–2) (2002) 327–336
Claudet, B., see **Polit, M.** **39** (2) (2001) 173–180
Codina, R., see **Blasco, J.** **38** (4) (2001) 475–497
Comincioli, V., G. Naldi and T. Scapolla, A wavelet-based method for numerical solution of nonlinear evolution equations **33** (1–4) (2000) 291–297
Cong, N.H., Explicit pseudo two-step RKN methods with stepsize control **38** (1–2) (2001) 135–144
Cortés-Medina, A., A. Chávez-González and J.G. Tinoco-Ruiz, A direct finite-difference scheme for solving PDEs over general two-dimensional regions **40** (1–2) (2002) 219–233
Cortés-Medina, A., see **Chávez-González, A.** **40** (1–2) (2002) 191–206
Costa, B. and W.S. Don, On the computation of high order pseudospectral derivatives **33** (1–4) (2000) 151–159
Coutsias, E.A., see **Lynov, J.P.** **33** (1–4) (2000) 175–181

Dallon, J.C., Numerical aspects of discrete and continuum hybrid models in cell biology **32** (2) (2000) 137–159
Daripa, P., The fastest smooth Taylor bubble **34** (4) (2000) 373–379
Daruis, L. and P. González-Vera, Szegö polynomials and quadrature formulas on the unit circle **36** (1) (2001) 79–112
da Silva, F.C., see **Alves Filho, H.** **40** (1–2) (2002) 167–177
Davey, K. and M.J. Ward, A successive preconditioned conjugate gradient method for the minimization of quadratic and nonlinear functions **35** (2) (2000) 129–156

Davies, P.J., see **Aves, M.A.** **32** (1) (2000) 1– 20
De Bortoli, A.L., Multigrid based aerodynamical simulations for the NACA 0012 airfoil **40** (1–2) (2002) 337–349
de Campos Velho, H.F., see **Retamoso, M.R.** **40** (1–2) (2002) 87–100
de Frutos, J. and J. Novo, A postprocess based improvement of the spectral element method **33** (1–4) (2000) 217–223
de Frutos, J., see **Calvo, M.P.** **37** (4) (2001) 535–549
Dehghan, M., Determination of a control parameter in the two-dimensional diffusion equation **37** (4) (2001) 489–502
Demetriou, I.C. and E.A. Lipitakis, Certain positive definite submatrices that arise from binomial coefficient matrices **36** (2–3) (2001) 219–229
de Swart, J.J.B., see **van der Houwen, P.J.** **31** (3) (1999) 353–374
Deville, M.O., see **Magère, E.** **33** (1–4) (2000) 241–249
Dick, E., see **Riemslagh, K.** **32** (4) (2000) 419–433
Di Lisio, R., see **Capuzzo-Dolcetta, R.** **34** (4) (2000) 363–371
Dimitrov, D.K. and A. Ronveaux, Inequalities for zeros of associated polynomials and derivatives of orthogonal polynomials **36** (2–3) (2001) 321–331
Dinesen, P.G., J.S. Hesthaven and J.P. Lynov, A pseudospectral collocation time-domain method for diffractive optics **33** (1–4) (2000) 199–206
Domínguez-Mota, F.J., see **Barrera-Sánchez, P.** **40** (1–2) (2002) 179–190
Don, W.S., see **Costa, B.** **33** (1–4) (2000) 151–159
Dorodnitsyn, V., Noether-type theorems for difference equations **39** (3–4) (2001) 307–321
Dougalis, V.A., see **Pelloni, B.** **37** (1–2) (2001) 95–107
Drottning, Å., see **Friis, H.A.** **39** (2) (2001) 151–171
Duncan, D.B. and A.R. Soheili, Approximating the Becker–Döring cluster equations **37** (1–2) (2001) 1– 29
Durán, A., see **Araújo, A.** **36** (2–3) (2001) 197–217
Durán, R.G., see **Armentano, M.G.** **37** (3) (2001) 397–414
Durany, J., see **Calvo, N.** **35** (2) (2000) 111–128

Edlund, Å., see **Bar-On, I.** **33** (1–4) (2000) 95–104
Edoh, K.D., R.D. Russell and W. Sun, Computation of invariant tori by orthogonal collocation **32** (3) (2000) 273–289
El-Hawary, H.M. and S.M. Mahmoud, On some 4-point spline collocation methods for solving second-order initial value problems **38** (1–2) (2001) 223–236
Engø, K., A. Marthinsen and H.Z. Munthe-Kaas, DiffMan: An object-oriented MATLAB toolbox for solving differential equations on manifolds **39** (3–4) (2001) 323–347
Evans, G.A., see **Chung, K.C.** **34** (1) (2000) 85– 93
Ewing, R.E. and Y. Lin, A mathematical analysis for numerical well models for non-Darcy flows **39** (1) (2001) 17– 30
Ewing, R.E., J. Wang and S.L. Weekes, On the simulation of multicomponent gas flow in porous media **31** (4) (1999) 405–427

Eymard, R., T. Gallouët and R. Herbin, Finite volume approximation of elliptic problems and convergence of an approximate gradient **37** (1–2) (2001) 31– 53

Fairlie, R., A numerical study of loading on plate structures due to transient compressible flows **34** (4) (2000) 381–403
Fairweather, G., see **Li, B.** **33** (1–4) (2000) 299–306
Faltinsen, S., A. Marthinsen and H.Z. Munthe-Kaas, Multistep methods integrating ordinary differential equations on manifolds **39** (3–4) (2001) 349–365
Farrell, P.A., A.F. Hegarty, J.J.H. Miller, E. O'Riordan and G.I. Shishkin, An experimental technique for computing parameter-uniform error estimates for numerical solutions of singular perturbation problems, with an application to Prandtl's problem at high Reynolds number **40** (1–2) (2002) 143–149
Feehery, W.F., see **Galán, S.** **31** (1) (1999) 17– 47
Feldstein, A. and R.H. Goodman, Number shortening algorithms **36** (2–3) (2001) 249–274
Ferrándiz, J.M., see **Martín, P.** **31** (2) (1999) 183–189
Ferreira, J.A., see **Barbeiro, S.** **37** (3) (2001) 331–340
Fidler, J., see **Tsiantos, V.D.** **39** (2) (2001) 191–204
Forestier, M.Y., R. Pasquetti, R. Peyret and C. Sabbah, Spatial development of wakes using a spectral multi-domain method **33** (1–4) (2000) 207–216
Formaggia, L., see **Manzi, C.** **32** (4) (2000) 389–399
Forsyth, P.A. and K.R. Vetzal, Implicit solution of uncertain volatility/transaction cost option pricing models with discretely observed barriers **36** (4) (2001) 427–445
Fournié, M., High order conservative difference methods for 2D drift-diffusion model on non-uniform grid **33** (1–4) (2000) 381–392
Fournier, L. and S. Lanteri, Multiplicative and additive parallel multigrid algorithms for the acceleration of compressible flow computations on unstructured meshes **36** (4) (2001) 401–426
French, D.A., S. Jensen and T.I. Seidman, Finite element approximation of solutions to a class of nonlinear hyperbolic–parabolic equations **31** (4) (1999) 429–450
Friis, H.A., T.A. Johansen, M. Haveraaen, H.Z. Munthe-Kaas and Å. Drottning, Use of coordinate-free numerics in elastic wave simulation **39** (2) (2001) 151–171
Fröhner, A. and H.-G. Roos, The ε-uniform convergence of a defect correction method on a Shishkin mesh **37** (1–2) (2001) 79– 94
Fu, H., see **Xiao, A.** **34** (4) (2000) 405–420
Führer, C., see **Arévalo, C.** **35** (4) (2000) 293–305
Fuhrmann, J., Existence and uniqueness of solutions of certain systems of algebraic equations with off-diagonal nonlinearity **37** (3) (2001) 359–368
Fuhrmann, J. and H. Langmach, Stability and existence of solutions of time-implicit finite volume schemes for viscous nonlinear conservation laws **37** (1–2) (2001) 201–230

Gabriel, R., Minimization of the Frobenius norm of a complex matrix using planar similarities **40** (3) (2002) 391–414
Gaitonde, D.V., see **Ladeinde, F.** **36** (4) (2001) 447–474
Galán, S., W.F. Feehery and P.I. Barton, Parametric sensitivity functions for hybrid discrete/continuous systems **31** (1) (1999) 17– 47
Gallouët, T., see **Eymard, R.** **37** (1–2) (2001) 31– 53
García-Archilla, B., see **Abril-Raymundo, M.R.** **32** (2) (2000) 119–136
Garwood Jr., R.W., see **Ly, L.N.** **40** (1–2) (2002) 351–366
Gelb, A. and E. Tadmor, Enhanced spectral viscosity approximations for conservation laws **33** (1–4) (2000) 3– 21
Genovesi, A., see **Polit, M.** **39** (2) (2001) 173–180
Gerdes, K., see **Schötzau, D.** **33** (1–4) (2000) 349–356
Gerritsma, M.I. and T.N. Phillips, Compatible approximation spaces for the velocity–pressure–stress formulation for creeping flows **33** (1–4) (2000) 225–231
Givoli, D., see **Peres Hari, L.** **37** (1–2) (2001) 257–269
Givoli, D., see **Sidi, A.** **33** (1–4) (2000) 327–340
Gobbert, M.K. and A. Prohl, A comparison of classical and new finite element methods for the computation of laminate microstructure **36** (2–3) (2001) 155–178
Godunov, S.K., M. Sadkane and M. Robbé, Smoothing techniques and computation of invariant subspaces of elliptic operators **33** (1–4) (2000) 341–347
Goeken, D. and O. Johnson, Runge–Kutta with higher order derivative approximations **34** (2–3) (2000) 207–218
Goldberg, M., Stability criteria for finite difference approximations to parabolic systems **33** (1–4) (2000) 509–515
Gomes-Ruggiero, M.A., O.F. Lopes and V.L. Rocha Lopes, A comparative analysis of the monotone iteration method for elliptic problems **36** (2–3) (2001) 231–248
González, A.B., P. Martín and D.J. López, On the numerical integration of orbital problems with high order Runge–Kutta–Nyström methods **35** (1) (2000) 1– 10
González Flores, G.F., see **Barrera-Sánchez, P.** **40** (1–2) (2002) 179–190
González-Requena, R.J. and J.M. Guevara-Jordan, New approach for describing transient pressure response generated by horizontal wells of arbitrary geometry **40** (4) (2002) 433–449
González-Vera, P., see **Daruis, L.** **36** (1) (2001) 79–112
Good, M., J.-P. Goux, J. Nocedal and V. Pereyra, iNEOS: An interactive environment for nonlinear optimization **40** (1–2) (2002) 49– 57
Goodman, R.H., see **Feldstein, A.** **36** (2–3) (2001) 249–274
Goux, J.-P., see **Good, M.** **40** (1–2) (2002) 49– 57
Gu, G.-D., Some conditions for existence and stability of relaxed incomplete LU factorizations **38** (1–2) (2001) 105–121
Guevara-Jordan, J.M., see **González-Requena, R.J.** **40** (4) (2002) 433–449
Günther, M., M. Hoschek and R. Weiner, ROW methods adapted to a cheap Jacobian **37** (1–2) (2001) 231–240
Gunzburger, M., see **Manservisi, S.** **34** (1) (2000) 99–126
Guo, B.-Y., see **Wang, Y.-M.** **36** (1) (2001) 57– 78

Guo, D.X., A second order scheme for the Navier–Stokes equations: Application to the driven-cavity problem **35** (4) (2000) 307–322
Guofeng, Z., Stability of implicit one-block methods for delay differential equations **36** (2–3) (2001) 275–279
Gustafsson, B. and L. Hemmingsson-Frändén, Implicit high-order difference methods and domain decomposition for hyperbolic problems **33** (1–4) (2000) 493–500

Hansen, L.B., see **Bendtsen, C.** **37** (1–2) (2001) 189–199
Harris, F.E., Spherical Bessel expansions of sine, cosine, and exponential integrals **34** (1) (2000) 95– 98
Harris, P.J., see **Chen, K.** **36** (4) (2001) 475–489
Hasanov, A. and J.L. Mueller, A numerical method for backward parabolic problems with non-selfadjoint elliptic operators **37** (1–2) (2001) 55– 78
Haveraaen, M., see **Friis, H.A.** **39** (2) (2001) 151–171
Hegarty, A.F., see **Farrell, P.A.** **40** (1–2) (2002) 143–149
Hemmingsson-Frändén, L., see **Gustafsson, B.** **33** (1–4) (2000) 493–500
Herbin, R., see **Eymard, R.** **37** (1–2) (2001) 31– 53
Herrero, H. and A.M. Mancho, Numerical modeling in Chebyshev collocation methods applied to stability analysis of convection problems **33** (1–4) (2000) 161–166
Hesthaven, J.S., Spectral penalty methods **33** (1–4) (2000) 23– 41
Hesthaven, J.S., see **Dinesen, P.G.** **33** (1–4) (2000) 199–206
Hesthaven, J.S., see **Yang, B.** **33** (1–4) (2000) 281–289
Heuer, N., Schwarz method for systems of boundary integral equations **33** (1–4) (2000) 447–453
Higham, D.J., see **Aves, M.A.** **32** (1) (2000) 1– 20
Hinze, M., see **Choi, H.** **31** (2) (1999) 133–158
Holder, T., B. Leimkuhler and S. Reich, Explicit variable step-size and time-reversible integration **39** (3–4) (2001) 367–377
Holstad, A., The Koren upwind scheme for variable gridsize **37** (4) (2001) 459–487
Horváth, R., Maximum norm contractivity in the numerical solution of the one-dimensional heat equation **31** (4) (1999) 451–462
Hoschek, M., see **Günther, M.** **37** (1–2) (2001) 231–240
Hu, C., see **Lepsky, O.** **33** (1–4) (2000) 423–434
Hu, Q., Multilevel correction for discrete collocation solutions of Volterra integral equations with delay arguments **31** (2) (1999) 159–171
Hu, Q. and D. Yu, Solving singularity problems in unbounded domains by coupling of natural BEM and composite grid FEM **37** (1–2) (2001) 127–143
Huang, C., Dissipativity of one-leg methods for dynamical systems with delays **35** (1) (2000) 11– 22
Huang, J., L. Li and J. Chen, On mortar-type Morley element method for plate bending problem **37** (4) (2001) 519–533
Huang, S.-W. and T. Carrington Jr., Calculating interior eigenvalues and eigenvectors with an implicitly restarted and a filter diagonalization method **37** (3) (2001) 307–317

Huang, W. and T. Tang, Pseudospectral solutions for steady motion of a viscous fluid inside a circular boundary **33** (1–4) (2000) 167–173
Hyman, J.M., see **Castillo, J.E.** **37** (1–2) (2001) 171–187

Idelssohn, S., see **Löhner, R.** **31** (3) (1999) 271–293
Imberger, J., see **Ramirez, I.** **40** (1–2) (2002) 273–289
Imoro, B., Discretized obstacle problems with penalties on nested grids **32** (1) (2000) 21– 34
Isenberg, J., V. Pereyra and D. Lawver, Optimal design of steel frame structures **40** (1–2) (2002) 59– 71
Iserles, A. and S.P. Nørsett, Foreword **39** (3–4) (2001) 239–244
Iserles, A., S.P. Nørsett and A.F. Rasmussen, Time symmetry and high-order Magnus methods **39** (3–4) (2001) 379–401
Ivanenko, S.A. and G.V. Muratova, Adaptive grid shallow water modeling **32** (4) (2000) 447–482

Jackiewicz, Z. and R.A. Renaut, Diagonally implicit multistage integration methods for pseudospectral solutions of the wave equation **34** (2–3) (2000) 219–229
Jauberteau, F., see **Bouchon, F.** **36** (1) (2001) 1– 34
Jbilou, K., A. Messaoudi and H. Sadok, Global FOM and GMRES algorithms for matrix equations **31** (1) (1999) 49– 63
Jensen, S., see **French, D.A.** **31** (4) (1999) 429–450
Jeung, I.-S., see **Kim, S.-L.** **39** (1) (2001) 87–104
Jézéquel, F., A validated parallel across time and space solution of the heat transfer equation **31** (1) (1999) 65– 79
Jia, Z., A refined subspace iteration algorithm for large sparse eigenproblems **32** (1) (2000) 35– 52
Jiang, Y.L. and O. Wing, A note on convergence conditions of waveform relaxation algorithms for nonlinear differential–algebraic equations **36** (2–3) (2001) 281–298
Jimack, P.K., see **Brown, B.M.** **38** (1–2) (2001) 1– 20
Jódar, L. and M.D. Roselló, Analytic–numerical solutions with a priori error bounds of initial value problems for the continuous coefficient wave equation **40** (1–2) (2002) 151–166
Johansen, T.A., see **Friis, H.A.** **39** (2) (2001) 151–171
John, V., Residual a posteriori error estimates for two-level finite element methods for the Navier–Stokes equations **37** (4) (2001) 503–518
Johnson, O., see **Goeken, D.** **34** (2–3) (2000) 207–218
Jorge, J.C., see **Bujanda, B.** **38** (1–2) (2001) 69– 86

Kamenetskii, D.S., On one form of representing the difference potentials **33** (1–4) (2000) 501–508
Karamanos, G.-S. and S.J. Sherwin, A high order splitting scheme for the Navier–Stokes equations with variable viscosity **33** (1–4) (2000) 455–462
Karniadakis, G.E., see **Kirby, R.M.** **33** (1–4) (2000) 393–405
Kay, D., see **Ainsworth, M.** **34** (4) (2000) 329–344
Kennedy, C.A., M.H. Carpenter and R.M. Lewis, Low-storage, explicit Runge–Kutta schemes for the compressible Navier–Stokes equations **35** (3) (2000) 177–219

Kerr, M., see **Williams, R.** **40** (3) (2002) 415–432
Kim, S.-L., J.-Y. Choi, I.-S. Jeung and Y.-H. Park, Application of approximate chemical Jacobians for constant volume reaction and shock-induced combustion **39** (1) (2001) 87–104
Kim, S.D. and B.C. Shin, H^{-1} least-squares method for the velocity–pressure–stress formulation of Stokes equations **40** (4) (2002) 451–465
Kirby, R.M., T.C. Warburton, I. Lomtev and G.E. Karniadakis, A discontinuous Galerkin spectral/*hp* method on hybrid grids **33** (1–4) (2000) 393–405
Kirchgraber, U., see **Stoffer, D.** **39** (3–4) (2001) 415–433
Kleiser, L., see **Wilhelm, D.** **33** (1–4) (2000) 275–280
Kobayashi, S., see **Tang, D.** **36** (2–3) (2001) 299–320
Kobayashi, S., see **Tang, D.** **38** (1–2) (2001) 49– 68
Koch, O., P. Kofler and E.B. Weinmüller, The implicit Euler method for the numerical solution of singular initial value problems **34** (2–3) (2000) 231–252
Kofler, P., see **Koch, O.** **34** (2–3) (2000) 231–252
Kopteva, N. and M. Stynes, Approximation of derivatives in a convection–diffusion two-point boundary value problem **39** (1) (2001) 47– 60
Koren, B., see **Lastdrager, B.** **38** (4) (2001) 377–401
Kouibia, A. and M. Pasadas, Approximation by shape preserving interpolation splines **37** (3) (2001) 271–288
Ku, D.N., see **Tang, D.** **36** (2–3) (2001) 299–320
Ku, D.N., see **Tang, D.** **38** (1–2) (2001) 49– 68
Kunisch, K., see **Choi, H.** **31** (2) (1999) 133–158
Kweon, J.R., Hierarchical basis a posteriori error estimates for compressible Stokes flows **32** (1) (2000) 53– 68
Kweon, J.R., A mixed finite element method for a compressible Stokes problem with high Reynolds number **38** (1–2) (2001) 87–103

Laburta, M.P., Starting algorithms for the iterations of the RKN–Gauss methods **31** (1) (1999) 81–101
Ladeinde, F., X. Cai, M.R. Visbal and D.V. Gaitonde, Turbulence spectra characteristics of high order schemes for direct and large eddy simulation **36** (4) (2001) 447–474
Laminie, J. and S.M. Mefire, Three-dimensional computation of a magnetic field by mixed finite elements and boundary elements **35** (3) (2000) 221–244
Langmach, H., see **Fuhrmann, J.** **37** (1–2) (2001) 201–230
Lanteri, S., see **Fournier, L.** **36** (4) (2001) 401–426
Lastdrager, B., B. Koren and J. Verwer, The sparse-grid combination technique applied to time-dependent advection problems **38** (4) (2001) 377–401
Lawver, D., see **Isenberg, J.** **40** (1–2) (2002) 59– 71
Leimkuhler, B., see **Budd, C.J.** **39** (3–4) (2001) 261–288
Leimkuhler, B., see **Holder, T.** **39** (3–4) (2001) 367–377
Lenferink, W., Pointwise convergence of approximations to a convection–diffusion equation on a Shishkin mesh **32** (1) (2000) 69– 86

Lepsky, O., C. Hu and C.-W. Shu, Analysis of the discontinuous Galerkin method for Hamilton–Jacobi equations **33** (1–4) (2000) 423–434
Levy, D., G. Puppo and G. Russo, On the behavior of the total variation in CWENO methods for conservation laws **33** (1–4) (2000) 407–414
Levy, D., G. Puppo and G. Russo, A third order central WENO scheme for 2D conservation laws **33** (1–4) (2000) 415–421
Lewis, H.R., see **Cano, B.** **39** (3–4) (2001) 289–306
Lewis, R.M., see **Kennedy, C.A.** **35** (3) (2000) 177–219
Li, B., G. Fairweather and B. Bialecki, A Crank–Nicolson orthogonal spline collocation method for vibration problems **33** (1–4) (2000) 299–306
Li, J., Multiblock mixed finite element methods for singularly perturbed problems **35** (2) (2000) 157–175
Li, J., Convergence and superconvergence analysis of finite element methods on highly nonuniform anisotropic meshes for singularly perturbed reaction–diffusion problems **36** (2–3) (2001) 129–154
Li, L., see **Huang, J.** **37** (4) (2001) 519–533
Li, S., L. Petzold and W. Zhu, Sensitivity analysis of differential–algebraic equations: A comparison of methods on a special problem **32** (2) (2000) 161–174
Li, S., see **Xiao, A.** **34** (4) (2000) 405–420
Li, Y. and B. Chen, Modeling of flow and transport at the microscale **40** (1–2) (2002) 245–259
Li, Y., see **Chen, B.** **40** (1–2) (2002) 261–271
Li, Z., A periodic relaxation method for computing microstructures **32** (3) (2000) 291–303
Li, Z., Computations of needle-like microstructures **39** (1) (2001) 1– 15
Li, Z.C. and N. Yan, Global superconvergence for blending surfaces by boundary penalty plus hybrid FEMs **39** (1) (2001) 61– 85
Liandrat, J., see **Chiavassa, G.** **36** (2–3) (2001) 333–358
Liao, X.X., see **Zhang, C.J.** **37** (1–2) (2001) 161–170
Lie, I., Well-posed transparent boundary conditions for the shallow water equations **38** (4) (2001) 445–474
Lin, T. and D.L. Russell, A superconvergent method for approximating the bending moment of elastic beams with hysteresis damping **38** (1–2) (2001) 145–165
Lin, Y., see **Ewing, R.E.** **39** (1) (2001) 17– 30
Linß, T., Sufficient conditions for uniform convergence on layer-adapted grids **37** (1–2) (2001) 241–255
Linß, T. and M. Stynes, A hybrid difference scheme on a Shishkin mesh for linear convection–diffusion problems **31** (3) (1999) 255–270
Lipitakis, E.A., see **Demetriou, I.C.** **36** (2–3) (2001) 219–229
Liu, B. and D. Tang, A numerical simulation of viscous flows in collapsible tubes with stenoses **32** (1) (2000) 87–101
Liu, K.M., see **Sun, W.** **38** (3) (2001) 361–376
Liu, W. and T. Tang, Error analysis for a Galerkin-spectral method with coordinate transformation for solving singularly perturbed problems **38** (3) (2001) 315–345
Löhner, R., C. Yang, E. Oñate and S. Idelssohn, An unstructured grid-based, parallel free surface solver **31** (3) (1999) 271–293

Lomtev, I., see **Kirby, R.M.** **33** (1–4) (2000) 393–405
Lopes, O.F., see **Gomes-Ruggiero, M.A.** **36** (2–3) (2001) 231–248
López, D.J., see **González, A.B.** **35** (1) (2000) 1– 10
Lopez, L. and T. Politi, Applications of the Cayley approach in the numerical solution of matrix differential systems on quadratic groups **36** (1) (2001) 35– 55
López-Marcos, J.C., see **Abia, L.M.** **38** (3) (2001) 287–313
Louchart, O. and A. Randriamampianina, A spectral iterative domain decomposition technique for the incompressible Navier–Stokes equations **33** (1–4) (2000) 233–240
Lu, H., see **Bailey, C.** **40** (1–2) (2002) 101–117
Lu, J., see **Lü, T.** **40** (4) (2002) 467–481
Lü, T. and J. Lu, Splitting extrapolation for solving second order elliptic systems with curved boundary in $\Re^d$ by using d-quadratic isoparametric finite element **40** (4) (2002) 467–481
Luce, R. and S. Perez, A finite volume scheme for an elliptic equation with heterogeneous coefficients. Application to a homogenization problem **38** (4) (2001) 427–444
Lukaszczyk, J.P., see **Bourchtein, A.** **40** (1–2) (2002) 291–306
Ly, L.N. and R.W. Garwood Jr., An ocean circulation model with surface wave parameterization **40** (1–2) (2002) 351–366
Lynch, M.A.M., Large amplitude instability in finite difference approximations to the Klein–Gordon equation **31** (2) (1999) 173–182
Lynov, J.P., K. Bergeron, E.A. Coutsias and A.H. Nielsen, An accurate and efficient spectral method for studies of the dynamical properties of forced, circular shear layers **33** (1–4) (2000) 175–181
Lynov, J.P., see **Dinesen, P.G.** **33** (1–4) (2000) 199–206

Mackenzie, J.A., see **Beckett, G.** **35** (2) (2000) 87–109
Mackenzie, J.A., see **Beckett, G.** **39** (1) (2001) 31– 45
Madrane, A., see **Arminjon, P.** **40** (3) (2002) 367–390
Magère, E. and M.O. Deville, Simulation of the Taylor–Couette flow in a finite geometry by spectral element method **33** (1–4) (2000) 241–249
Mahmoud, S.M., see **El-Hawary, H.M.** **38** (1–2) (2001) 223–236
Mancho, A.M., see **Herrero, H.** **33** (1–4) (2000) 161–166
Manservisi, S. and M. Gunzburger, A variational inequality formulation of an inverse elasticity problem **34** (1) (2000) 99–126
Manzi, C., F. Rapetti and L. Formaggia, Function approximation on triangular grids: some numerical results using adaptive techniques **32** (4) (2000) 389–399
March, R., see **Spitaleri, R.M.** **39** (2) (2001) 181–189
Maroni, P., Semi-classical character and finite-type relations between polynomial sequences **31** (3) (1999) 295–330
Marthinsen, A. and B. Owren, Quadrature methods based on the Cayley transform **39** (3–4) (2001) 403–413
Marthinsen, A., see **Engø, K.** **39** (3–4) (2001) 323–347

Marthinsen, A., see **Faltinsen, S.** **39** (3–4) (2001) 349–365
Martín, P. and J.M. Ferrándiz, Numerical integration of perturbed linear systems **31** (2) (1999) 183–189
Martín, P., see **González, A.B.** **35** (1) (2000) 1– 10
Martínez, J., see **Abia, L.M.** **38** (3) (2001) 287–313
Matache, A.-M. and Ch. Schwab, Homogenization via p-FEM for problems with microstructure **33** (1–4) (2000) 43– 59
McGuinness, T., see **Castillo, J.** **40** (1–2) (2002) 207–218
McLachlan, R.I. and G.R.W. Quispel, Numerical integrators that contract volume **34** (2–3) (2000) 253–260
Meerbergen, K. and M. Sadkane, Using Krylov approximations to the matrix exponential operator in Davidson's method **31** (3) (1999) 331–351
Mefire, S.M., see **Laminie, J.** **35** (3) (2000) 221–244
Mellado, M. and R. Rodríguez, Efficient solution of fluid-structure vibration problems **36** (4) (2001) 389–400
Méndez, E., A. Müller and M. Paluszny, Tubelike joints: A classical geometry perspective **40** (1–2) (2002) 33– 38
Méndez, E., A. Müller and M. Paluszny, Three views of Dupin cyclides and blending of cones **40** (1–2) (2002) 39– 47
Messaoudi, A., see **Jbilou, K.** **31** (1) (1999) 49– 63
Messina, E., see **van der Houwen, P.J.** **31** (3) (1999) 353–374
Mihajlović, M.D., see **Brown, B.M.** **38** (1–2) (2001) 1– 20
Mikula, K. and D. Ševčovič, Solution of nonlinearly curvature driven evolution of plane curves **31** (2) (1999) 191–207
Miller, J.J.H., E. O'Riordan, G.I. Shishkin and S. Wang, A parameter-uniform Schwarz method for a singularly perturbed reaction–diffusion problem with an interior layer **35** (4) (2000) 323–337
Miller, J.J.H., see **Farrell, P.A.** **40** (1–2) (2002) 143–149
Miranda Cabrera, I. and M. Ramos Lima, Mathematical study of the growth of tetranichidae mites under field conditions: Relationship prey–predator **40** (1–2) (2002) 137–142
Montagnac, M. and J.-M. Chesneaux, Dynamic control of a BICGSTAB algorithm **32** (1) (2000) 103–117
Mueller, J.L., see **Hasanov, A.** **37** (1–2) (2001) 55– 78
Müller, A., see **Méndez, E.** **40** (1–2) (2002) 33– 38
Müller, A., see **Méndez, E.** **40** (1–2) (2002) 39– 47
Mund, E.H., A short survey on preconditioning techniques in spectral calculations **33** (1–4) (2000) 61– 70
Munthe-Kaas, H.Z., see **Engø, K.** **39** (3–4) (2001) 323–347
Munthe-Kaas, H.Z., see **Faltinsen, S.** **39** (3–4) (2001) 349–365
Munthe-Kaas, H.Z., see **Friis, H.A.** **39** (2) (2001) 151–171
Muratova, G.V., see **Ivanenko, S.A.** **32** (4) (2000) 447–482
Murua, A., see **Chan, R.P.K.** **34** (2–3) (2000) 189–205

Naldi, G., see **Comincioli, V.** **33** (1–4) (2000) 291–297
Nielsen, A.H., see **Lynov, J.P.** **33** (1–4) (2000) 175–181
Nielsen, O.H., see **Bendtsen, C.** **37** (1–2) (2001) 189–199
Nocedal, J., see **Good, M.** **40** (1–2) (2002) 49– 57
Nordström, J. and M. Björck, Finite volume approximations and strict stability for hyperbolic problems **38** (3) (2001) 237–255
Nørsett, S.P., see **Iserles, A.** **39** (3–4) (2001) 239–244
Nørsett, S.P., see **Iserles, A.** **39** (3–4) (2001) 379–401
Notay, Y., A multilevel block incomplete factorization preconditioning **31** (2) (1999) 209–225
Novo, J., see **Calvo, M.P.** **37** (4) (2001) 535–549
Novo, J., see **de Frutos, J.** **33** (1–4) (2000) 217–223

Ochoa, J., see **Torres, C.R.** **40** (1–2) (2002) 235–244
Oñate, E., see **Löhner, R.** **31** (3) (1999) 271–293
O'Riordan, E., see **Farrell, P.A.** **40** (1–2) (2002) 143–149
O'Riordan, E., see **Miller, J.J.H.** **35** (4) (2000) 323–337
Owens, R.G., see **Valenciano, J.** **32** (3) (2000) 305–329
Owens, R.G., see **Valenciano, J.** **33** (1–4) (2000) 365–371
Owren, B., see **Marthinsen, A.** **39** (3–4) (2001) 403–413

Padrón, M.A., see **Plaza, A.** **32** (4) (2000) 401–418
Paluszny, M., R. Patterson and F. Tovar, The singular point of an algebraic cubic **40** (1–2) (2002) 23– 31
Paluszny, M., see **Méndez, E.** **40** (1–2) (2002) 33– 38
Paluszny, M., see **Méndez, E.** **40** (1–2) (2002) 39– 47
Park, Y.-H., see **Kim, S.-L.** **39** (1) (2001) 87–104
Pasadas, M., see **Kouibia, A.** **37** (3) (2001) 271–288
Pasquetti, R., see **Forestier, M.Y.** **33** (1–4) (2000) 207–216
Paternoster, B., A phase-fitted collocation-based Runge–Kutta–Nyström method **35** (4) (2000) 339–355
Patterson, R., see **Paluszny, M.** **40** (1–2) (2002) 23– 31
Pauca, V.P., A.F. Rodriguez, X. Sun and K.S. Trivedi, A methodology towards automatic implementation of N-body algorithms **40** (1–2) (2002) 3– 21
Pavarino, L.F., Domain decomposition methods with small overlap for $Q_n - Q_{n-2}$ spectral elements **33** (1–4) (2000) 463–470
Pelloni, B. and V.A. Dougalis, Error estimates for a fully discrete spectral scheme for a class of nonlinear, nonlocal dispersive wave equations **37** (1–2) (2001) 95–107
Peres Hari, L., D. Givoli and J. Rubinstein, Computation of open Willmore-type surfaces **37** (1–2) (2001) 257–269
Pereyra, V. and G. Scherer, Least squares scattered data fitting by truncated SVDs **40** (1–2) (2002) 73– 86
Pereyra, V., see **Castillo, J.** **40** (1–2) (2002) 1– 1
Pereyra, V., see **Good, M.** **40** (1–2) (2002) 49– 57
Pereyra, V., see **Isenberg, J.** **40** (1–2) (2002) 59– 71

Perez, S., see **Luce, R.** **38** (4) (2001) 427–444
Peskin, U., see **Bar-On, I.** **33** (1–4) (2000) 95–104
Petropoulos, P.G., Reflectionless sponge layers for the numerical solution of Maxwell's equations in cylindrical and spherical coordinates **33** (1–4) (2000) 517–524
Petzold, L., see **Li, S.** **32** (2) (2000) 161–174
Petzold, L.R., see **Raha, S.** **39** (1) (2001) 105–126
Peyret, R., see **Forestier, M.Y.** **33** (1–4) (2000) 207–216
Pfabe, K. and T.S. Shores, Numerical methods for an ion transport problem **32** (2) (2000) 175–193
Phillips, R.M. and T.N. Phillips, Flow past a cylinder using a semi-Lagrangian spectral element method **33** (1–4) (2000) 251–257
Phillips, T.N., see **Gerritsma, M.I.** **33** (1–4) (2000) 225–231
Phillips, T.N., see **Phillips, R.M.** **33** (1–4) (2000) 251–257
Piggott, M.D., see **Budd, C.J.** **39** (3–4) (2001) 261–288
Plaza, A. and G.F. Carey, Local refinement of simplicial grids based on the skeleton **32** (2) (2000) 195–218
Plaza, A., M.A. Padrón and G.F. Carey, A 3D refinement/derefinement algorithm for solving evolution problems **32** (4) (2000) 401–418
Polit, M., A. Genovesi and B. Claudet, Fuzzy logic observers for a biological wastewater treatment process **39** (2) (2001) 173–180
Politi, T., see **Lopez, L.** **36** (1) (2001) 35– 55
Poullet, P., Staggered incremental unknowns for solving Stokes and generalized Stokes problems **35** (1) (2000) 23– 41
Prohl, A., see **Gobbert, M.K.** **36** (2–3) (2001) 155–178
Pruess, S., Qualitatively correct Sturm–Liouville eigenfunctions **34** (1) (2000) 127–141
Puppo, G., see **Levy, D.** **33** (1–4) (2000) 407–414
Puppo, G., see **Levy, D.** **33** (1–4) (2000) 415–421

Quartapelle, L., see **Auteri, F.** **33** (1–4) (2000) 135–142
Quispel, G.R.W., see **McLachlan, R.I.** **34** (2–3) (2000) 253–260

Radvogin, Y.B. and N.A. Zaitsev, A locally implicit second order accurate difference scheme for solving 2D time-dependent hyperbolic systems and Euler equations **33** (1–4) (2000) 525–532
Raha, S. and L.R. Petzold, Constraint partitioning for structure in path-constrained dynamic optimization problems **39** (1) (2001) 105–126
Rahibe, M., N. Aubry and G.I. Sivashinsky, Bifurcations in a planar propagating flame as the size of the domain increases **31** (1) (1999) 103–115
Ramirez, I. and J. Imberger, The numerical simulation of the hydrodynamics of Barbamarco Lagoon, Italy **40** (1–2) (2002) 273–289
Ramos, F.M., see **Retamoso, M.R.** **40** (1–2) (2002) 87–100
Ramos Lima, M., see **Miranda Cabrera, I.** **40** (1–2) (2002) 137–142
Randriamampianina, A., see **Louchart, O.** **33** (1–4) (2000) 233–240
Rapetti, F., see **Manzi, C.** **32** (4) (2000) 389–399

Rasmussen, A.F., see **Iserles, A.** **39** (3–4) (2001) 379–401
Reich, S., see **Holder, T.** **39** (3–4) (2001) 367–377
Rempfer, D., see **Reuter, J.** **33** (1–4) (2000) 105–111
Renaut, R.A., see **Jackiewicz, Z.** **34** (2–3) (2000) 219–229
Retamoso, M.R., M.T. Vilhena, H.F. de Campos Velho and F.M. Ramos, Estimation of boundary condition in hydrologic optics **40** (1–2) (2002) 87–100
Reuter, J. and D. Rempfer, High order vorticity–velocity method for the simulation of pipe flow transition **33** (1–4) (2000) 105–111
Rice, J.R., P. Tsompanopoulou and E. Vavalis, Interface relaxation methods for elliptic differential equations **32** (2) (2000) 219–245
Riemslagh, K., J. Vierendeels and E. Dick, An arbitrary Lagrangian–Eulerian finite-volume method for the simulation of rotary displacement pump flow **32** (4) (2000) 419–433
Robbé, M., see **Godunov, S.K.** **33** (1–4) (2000) 341–347
Roberts, A.J., Holistic discretization ensures fidelity to Burgers' equation **37** (3) (2001) 371–396
Rocha Lopes, V.L., see **Gomes-Ruggiero, M.A.** **36** (2–3) (2001) 231–248
Rodriguez, A.F., see **Pauca, V.P.** **40** (1–2) (2002) 3–21
Rodríguez, R., see **Mellado, M.** **36** (4) (2001) 389–400
Ronveaux, A., see **Dimitrov, D.K.** **36** (2–3) (2001) 321–331
Roos, H.-G., see **Fröhner, A.** **37** (1–2) (2001) 79–94
Ros, J., see **Blanes, S.** **39** (3–4) (2001) 245–259
Roselló, M.D., see **Jódar, L.** **40** (1–2) (2002) 151–166
Rubinstein, J., see **Peres Hari, L.** **37** (1–2) (2001) 257–269
Rubio, O., E. Bravo and J.R. Claeyssen, Thermally driven cavity flow with Neumann condition for the pressure **40** (1–2) (2002) 327–336
Russell, D.L., see **Lin, T.** **38** (1–2) (2001) 145–165
Russell, R.D., see **Edoh, K.D.** **32** (3) (2000) 273–289
Russo, G., see **Levy, D.** **33** (1–4) (2000) 407–414
Russo, G., see **Levy, D.** **33** (1–4) (2000) 415–421
Ryaben'kii, V., Nonreflecting time-dependent boundary conditions on artificial boundaries of varying location and shape **33** (1–4) (2000) 481–492
Ryaben'kii, V.S. and I.L. Sofronov, Difference potentials for the Helmholtz equation in exterior domains **33** (1–4) (2000) 533–540
Ryaben'kii, V.S., S.V. Tsynkov and V.I. Turchaninov, Long-time numerical computation of wave-type solutions driven by moving sources **38** (1–2) (2001) 187–222

Sabbah, C., see **Forestier, M.Y.** **33** (1–4) (2000) 207–216
Sadkane, M., see **Godunov, S.K.** **33** (1–4) (2000) 341–347
Sadkane, M., see **Meerbergen, K.** **31** (3) (1999) 331–351
Sadok, H., see **Jbilou, K.** **31** (1) (1999) 49–63
Santos-León, J.C., Computation of integrals over the unit circle with nearby poles **36** (2–3) (2001) 179–195
Sauter, T., Computation of irregularly oscillating integrals **35** (3) (2000) 245–264

Scapolla, T., see **Comincioli, V.** **33** (1–4) (2000) 291–297
Schenker, J.H., see **Chen, B.** **38** (1–2) (2001) 21– 48
Scherer, G., see **Pereyra, V.** **40** (1–2) (2002) 73– 86
Schmidt, A. and K.G. Siebert, A posteriori estimators for the $h-p$ version of the finite element method in 1D **35** (1) (2000) 43– 66
Schötzau, D., K. Gerdes and C. Schwab, Stable and stabilized hp-finite element methods for the Stokes problem **33** (1–4) (2000) 349–356
Schrefl, T., see **Tsiantos, V.D.** **39** (2) (2001) 191–204
Schwab, C., see **Schötzau, D.** **33** (1–4) (2000) 349–356
Schwab, Ch., see **Matache, A.-M.** **33** (1–4) (2000) 43– 59
Seidman, T.I., see **French, D.A.** **31** (4) (1999) 429–450
Semenov, A.Yu., see **Belikov, V.V.** **32** (4) (2000) 371–387
Ševčovič, D., see **Mikula, K.** **31** (2) (1999) 191–207
Shampine, L.F. and S. Thompson, Solving DDEs in MATLAB **37** (4) (2001) 441–458
Sharp, P.W. and J.H. Verner, Extended explicit Bel'tyukov pairs of orders 4 and 5 for Volterra integral equations of the second kind **34** (2–3) (2000) 261–274
Shashkov, M., see **Castillo, J.E.** **37** (1–2) (2001) 171–187
Shen, J., A new fast Chebyshev–Fourier algorithm for Poisson-type equations in polar geometries **33** (1–4) (2000) 183–190
Shen, J., F. Wang and J. Xu, A finite element multigrid preconditioner for Chebyshev–collocation methods **33** (1–4) (2000) 471–477
Sherwin, S.J. and M. Ainsworth, Unsteady Navier–Stokes solvers using hybrid spectral/hp element methods **33** (1–4) (2000) 357–363
Sherwin, S.J., see **Karamanos, G.-S.** **33** (1–4) (2000) 455–462
Shin, B.C., see **Kim, S.D.** **40** (4) (2002) 451–465
Shishkin, G.I., see **Farrell, P.A.** **40** (1–2) (2002) 143–149
Shishkin, G.I., see **Miller, J.J.H.** **35** (4) (2000) 323–337
Shores, T.S., see **Pfabe, K.** **32** (2) (2000) 175–193
Shu, C.-W., see **Lepsky, O.** **33** (1–4) (2000) 423–434
Sidi, A. and D. Givoli, Stability and accuracy of optimal local non-reflecting boundary conditions **33** (1–4) (2000) 327–340
Siebert, K.G., see **Schmidt, A.** **35** (1) (2000) 43– 66
Simeon, B., see **Arnold, M.** **34** (4) (2000) 345–362
Singh, A.D., see **Butcher, J.C.** **34** (1) (2000) 59– 84
Sivashinsky, G.I., see **Rahibe, M.** **31** (1) (1999) 103–115
Sleijpen, G.L.G., see **Botchev, M.A.** **31** (3) (1999) 239–253
Söderlind, G., see **Arévalo, C.** **35** (4) (2000) 293–305
Sofronov, I.L., see **Ryaben'kii, V.S.** **33** (1–4) (2000) 533–540
Soheili, A.R., see **Duncan, D.B.** **37** (1–2) (2001) 1– 29
Sommeijer, B.P., see **van der Houwen, P.J.** **36** (2–3) (2001) 113–128
Soni, B.K., Grid generation: Past, present, and future **32** (4) (2000) 361–369
Spitaleri, R.M., Full-FAS multigrid grid generation algorithms **32** (4) (2000) 483–494

Spitaleri, R.M., R. March and D. Arena, A multigrid finite-difference method for the solution of Euler equations of the variational image segmentation **39** (2) (2001) 181–189
Spotz, W.F., M.A. Taylor and P.N. Swarztrauber, Fast and high-order solutions to the spherical shallow water equations **33** (1–4) (2000) 191–197
Sri Ranga, A., see **Berti, A.C.** **39** (2) (2001) 127–149
St-Cyr, A., see **Arminjon, P.** **40** (3) (2002) 367–390
Steinberg, S., see **Castillo, J.** **40** (1–2) (2002) 1– 1
Steinberg, S., see **Castillo, J.E.** **37** (1–2) (2001) 171–187
Stoffer, D. and U. Kirchgraber, Verification of chaotic behaviour in the planar restricted three body problem **39** (3–4) (2001) 415–433
Stynes, M., see **Kopteva, N.** **39** (1) (2001) 47– 60
Stynes, M., see **Linß, T.** **31** (3) (1999) 255–270
Suazo, G.C., see **Claeyssen, J.R.** **40** (1–2) (2002) 119–135
Sun, W. and K.M. Liu, Iterative algorithms for nonlinear ordinary differential eigenvalue problems **38** (3) (2001) 361–376
Sun, W., see **Edoh, K.D.** **32** (3) (2000) 273–289
Sun, X., see **Pauca, V.P.** **40** (1–2) (2002) 3– 21
Swarztrauber, P.N., see **Spotz, W.F.** **33** (1–4) (2000) 191–197

Tadmor, E., see **Gelb, A.** **33** (1–4) (2000) 3– 21
Tang, D., C. Yang, S. Kobayashi and D.N. Ku, Experiment-based numerical simulation of unsteady viscous flow in stenotic collapsible tubes **36** (2–3) (2001) 299–320
Tang, D., C. Yang, S. Kobayashi and D.N. Ku, Generalized finite difference method for 3-D viscous flow in stenotic tubes with large wall deformation and collapse **38** (1–2) (2001) 49– 68
Tang, D., see **Liu, B.** **32** (1) (2000) 87–101
Tang, H.-Z., Nonlinear stability of the relaxing schemes for scalar conservation laws **38** (3) (2001) 347–359
Tang, T., see **Huang, W.** **33** (1–4) (2000) 167–173
Tang, T., see **Liu, W.** **38** (3) (2001) 315–345
Tangborn, A. and S.Q. Zhang, Wavelet transform adapted to an approximate Kalman filter system **33** (1–4) (2000) 307–316
Taylor, M.A. and B.A. Wingate, A generalized diagonal mass matrix spectral element method for non-quadrilateral elements **33** (1–4) (2000) 259–265
Taylor, M.A., see **Spotz, W.F.** **33** (1–4) (2000) 191–197
Thompson, S., see **Shampine, L.F.** **37** (4) (2001) 441–458
Tian, T. and K. Burrage, Implicit Taylor methods for stiff stochastic differential equations **38** (1–2) (2001) 167–185
Tian, T., see **Burrage, K.** **32** (3) (2000) 255–271
Tinoco-Ruiz, J.G., see **Chávez-González, A.** **40** (1–2) (2002) 191–206
Tinoco-Ruiz, J.G., see **Cortés-Medina, A.** **40** (1–2) (2002) 219–233
Tocci, M.D., Sensitivity analysis of large-scale time dependent PDEs **37** (1–2) (2001) 109–125

Torres, C.R., J. Ochoa, J. Castillo and M. Van Woert, Initial flow field of stratified flow past an impulsively started sphere **40** (1–2) (2002) 235–244
Tovar, F., see **Paluszny, M.** **40** (1–2) (2002) 23– 31
Trivedi, K.S., see **Pauca, V.P.** **40** (1–2) (2002) 3– 21
Trummer, M.R., Spectral methods in computing invariant tori **34** (2–3) (2000) 275–292
Tse, K.L., Simulation of penetrative convection with adaptive spectral domain decomposition method **33** (1–4) (2000) 267–274
Tsiantos, V.D., T. Schrefl, J. Fidler and A. Bratsos, Cost-effective way to speed up micromagnetic simulations in granular media **39** (2) (2001) 191–204
Tsitouras, Ch., Optimized explicit Runge–Kutta pair of orders 9(8) **38** (1–2) (2001) 123–134
Tsompanopoulou, P., see **Rice, J.R.** **32** (2) (2000) 219–245
Tsynkov, S.V., see **Ryaben'kii, V.S.** **38** (1–2) (2001) 187–222
Turchaninov, V.I., see **Ryaben'kii, V.S.** **38** (1–2) (2001) 187–222
Turkel, E. and A. Yefet, On the construction of a high order difference scheme for complex domains in a Cartesian grid **33** (1–4) (2000) 113–124
Turkel, E., see **Yefet, A.** **33** (1–4) (2000) 125–134

Urban, K., see **Bertoluzza, S.** **34** (1) (2000) 13– 38

Valenciano, J. and R.G. Owens, A new adaptive modification strategy for numerical solutions to elliptic boundary value problems **32** (3) (2000) 305–329
Valenciano, J. and R.G. Owens, An $h-p$ adaptive spectral element method for Stokes flow **33** (1–4) (2000) 365–371
Van den Heuvel, G., New stability results for Runge–Kutta methods adapted to delay differential equations **34** (2–3) (2000) 293–308
van der Heul, D.R., C. Vuik and P. Wesseling, Stability analysis of segregated solution methods for compressible flow **38** (3) (2001) 257–274
van der Houwen, P.J., E. Messina and J.J.B. de Swart, Parallel Störmer–Cowell methods for high-precision orbit computations **31** (3) (1999) 353–374
van der Houwen, P.J. and B.P. Sommeijer, Factorization in block-triangularly implicit methods for shallow water applications **36** (2–3) (2001) 113–128
van der Vorst, H.A., see **Botchev, M.A.** **31** (3) (1999) 239–253
Vani, C., see **Avudainayagam, A.** **32** (3) (2000) 247–254
Van Woert, M., see **Torres, C.R.** **40** (1–2) (2002) 235–244
Vavalis, E., see **Rice, J.R.** **32** (2) (2000) 219–245
Vázquez, C., see **Calvo, N.** **35** (2) (2000) 111–128
Verner, J.H., see **Sharp, P.W.** **34** (2–3) (2000) 261–274
Verwer, J., see **Lastdrager, B.** **38** (4) (2001) 377–401
Vetzal, K.R., see **Forsyth, P.A.** **36** (4) (2001) 427–445
Vierendeels, J., see **Riemslagh, K.** **32** (4) (2000) 419–433
Vilhena, M.T., see **Retamoso, M.R.** **40** (1–2) (2002) 87–100
Visbal, M.R., see **Ladeinde, F.** **36** (4) (2001) 447–474
Vuik, C., see **van der Heul, D.R.** **38** (3) (2001) 257–274

Waldén, J., Filter bank subdivisions of bounded domains **32** (3) (2000) 331–357
Waldén, J., A general adaptive solver for hyperbolic PDEs based on filter bank subdivisions **33** (1–4) (2000) 317–325
Wang, F., see **Shen, J.** **33** (1–4) (2000) 471–477
Wang, J., see **Ewing, R.E.** **31** (4) (1999) 405–427
Wang, S., see **Miller, J.J.H.** **35** (4) (2000) 323–337
Wang, Y.-M., Asymptotic behavior of the numerical solutions for a system of nonlinear integrodifferential reaction–diffusion equations **39** (2) (2001) 205–223
Wang, Y.-M. and B.-Y. Guo, Petrov–Galerkin methods for nonlinear systems without monotonicity **36** (1) (2001) 57– 78
Warburton, T.C., see **Kirby, R.M.** **33** (1–4) (2000) 393–405
Ward, M.J., see **Davey, K.** **35** (2) (2000) 129–156
Webster, J.R., see **Chung, K.C.** **34** (1) (2000) 85– 93
Weekes, S.L., Numerical computation of wave propagation in dynamic materials **37** (4) (2001) 417–440
Weekes, S.L., see **Ewing, R.E.** **31** (4) (1999) 405–427
Weiner, R., see **Günther, M.** **37** (1–2) (2001) 231–240
Weinmüller, E.B., see **Koch, O.** **34** (2–3) (2000) 231–252
Wesseling, P., see **van der Heul, D.R.** **38** (3) (2001) 257–274
Wheeler, D., see **Bailey, C.** **40** (1–2) (2002) 101–117
Wilhelm, D. and L. Kleiser, Stable and unstable formulations of the convection operator in spectral element simulations **33** (1–4) (2000) 275–280
Williams, R., K. Burrage, I. Cameron and M. Kerr, A four-stage index 2 Diagonally Implicit Runge–Kutta method **40** (3) (2002) 415–432
Wing, O., see **Jiang, Y.L.** **36** (2–3) (2001) 281–298
Wingate, B.A., see **Taylor, M.A.** **33** (1–4) (2000) 259–265
Winkler, J.R., Condition numbers of a nearly singular simple root of a polynomial **38** (3) (2001) 275–285

Xiao, A., H. Fu, S. Li and G. Chen, Regularity properties of general linear methods for initial value problems of ordinary differential equations **34** (4) (2000) 405–420
Xu, J., see **Shen, J.** **33** (1–4) (2000) 471–477
Xu, X., see **Chen, J.** **37** (3) (2001) 341–358

Yan, N., see **Li, Z.C.** **39** (1) (2001) 61– 85
Yang, B. and J.S. Hesthaven, Multidomain pseudospectral computation of Maxwell's equations in 3-D general curvilinear coordinates **33** (1–4) (2000) 281–289
Yang, C., see **Löhner, R.** **31** (3) (1999) 271–293
Yang, C., see **Tang, D.** **36** (2–3) (2001) 299–320
Yang, C., see **Tang, D.** **38** (1–2) (2001) 49– 68
Yang, J.C. and T.C. Chen, The structured grid generation using Beta-spline curve/surface modeling **32** (4) (2000) 435–445

Yefet, A. and E. Turkel, Fourth order compact implicit method for the Maxwell equations with discontinuous coefficients **33** (1–4) (2000) 125–134
Yefet, A., see **Turkel, E.** **33** (1–4) (2000) 113–124
Yosibash, Z., Computing singular solutions of elliptic boundary value problems in polyhedral domains using the p-FEM **33** (1–4) (2000) 71– 93
Yu, D., see **Hu, Q.** **37** (1–2) (2001) 127–143

Zaitsev, N.A., see **Radvogin, Y.B.** **33** (1–4) (2000) 525–532
Zanna, A., The Fer expansion and time-symmetry: A Strang-type approach **39** (3–4) (2001) 435–459
Zhang, C.J., S.Z. Zhou and X.X. Liao, D-convergence and GDN-stability of Runge–Kutta methods for a class of delay systems **37** (1–2) (2001) 161–170
Zhang, J., Sparse approximate inverse and multilevel block ILU preconditioning techniques for general sparse matrices **35** (1) (2000) 67– 86
Zhang, S.Q., see **Tangborn, A.** **33** (1–4) (2000) 307–316
Zhao, S., An efficient implementation scheme of the simplified Newton iteration for block systems of nonlinear equations **39** (2) (2001) 225–237
Zhou, S.Z., see **Zhang, C.J.** **37** (1–2) (2001) 161–170
Zhu, W., see **Li, S.** **32** (2) (2000) 161–174
Zingg, D.W. and T.T. Chisholm, Runge–Kutta methods for linear ordinary differential equations **31** (2) (1999) 227–238
Ziółko, M., Stability of method of characteristics **31** (4) (1999) 463–486
Zubik-Kowal, B., Chebyshev pseudospectral method and waveform relaxation for differential and differential–functional parabolic equations **34** (2–3) (2000) 309–328